

Meridian



Upper Control




NeckFlex™ Jet Pillows



Crystal FX



ClearZone



Full Foam



Tactile Therapy

FEATURES:



PERSONS



PUMPS



NECKFLEX™-JET PILLOWS



JETS



CLEARZONE



CRYSTAL FX

SPECIFICATIONS:

Dimensions: 7'8" x 7'8" x 36"

Seating: 7

Jets: 45 threaded hydrotherapy jets w/whirlpool

Electrical: 240V, 40/30A

Weight - 730 lbs Dry (Estimate)

Wet 3,271 lbs (Estimate)

Standard LED / Crystal FX LED (Option)

ClearZone Water Management (Option)

MP3 Stereo (Option)

Escutcheons (Option)

Warranty (Option)



DIMENSION ONE SPAS™

www.d1spas.com




| General | | |
|------------------------------------|--|-----------------------|
| Shape | Square | |
| Seating Capacity | 7 | |
| Shell Material | Granitex™ / Acrylic / Ultralife™ | |
| Dimensions | 91 1/4" x 91 1/4" x 36" H / (232cm X 232cm x 91cm H) | |
| Corner Radii | 9" (23 cm) | |
| Water Capacity | 305 Gallons (1155 Liters) | |
| Dry Weight | 730 lbs (331 kg) | |
| Shipping Weight | Domestic 730 lbs (331 kg) / Export 780 lbs (354kg) | |
| Full Weight | 3271 lbs (1486 kg) | |
| Skirt Material | Synthetic | |
| ABS Pan | Yes | |
| Water System | | |
| Water Treatment System | Optional | |
| Plumbing Systems | 5 | |
| Filters/Coverage | 1 / 75 sq. ft. | |
| Gate Valves | 0 | |
| Power Storm - Massage | 0 | |
| Power Storm - Rifled | 2 | |
| Power Storm - Twirl | 2 | |
| Power Storm - Twister | 2 | |
| Mini Storm - Directional | 4 | |
| Mini Storm - Rifled | 7 | |
| Mini Storm - Roto | 9 | |
| Cluster Storm - Directional | 10 | |
| Cluster Storm - Rifled | 4 | |
| VCR Jet® - Mini Directional in NFJ | 4 | |
| Ozone Jet | 1 | |
| Turbo jet / Diverter Valve | 1 | |
| Pump Returns | 4 | |
| Diverter Valves | 1 | |
| Floor Drains | 0 | |
| Skimmer | 8" Weir | |
| Special Features | | |
| Crystal FX | Optional | |
| NeckFlex® Jet Pillows | 2 | |
| Headrest Pillows | 1 | |
| Stereo system | Optional | |
| Water Feature Dual | Standard | |
| Water Feature Volume control | With water feature | |
| Cup Holders | 5 | |
| Tactile Therapy | Floor | |
| Pump Information | | |
| | Domestic (60Hz) | Export (50Hz) |
| Motor Size – Peak (Continuous) HP | 4.0 (2.5) HP / 3.6 (2.0) HP | 3.6 (2.0) HP |
| Jet Pumps # of Pumps/Speed | One Dual & One single | One Dual & One single |
| Circulation pump | n/a | n/a |
| Fountain pump | n/a | n/a |
| Electrical System | | |
| | Domestic (60Hz) | Export (50Hz) |
| Voltage | 240 | 240 |
| Amperage | 40/30 | 1X16 / 2X16 / 1X32 |
| Heater | 4.0 KW | 2.0 KW |
| Thermostat | Electronic | Electronic |
| Light | Multi color LED | Multi color LED |
| Control System | SSPA-1-D13 | SSPA-1-D13-CE |
| Upper Control | Programmable Digital | Programmable Digital |
| Auxiliary Upper Control | No | No |
| Programmable | Yes | Yes |




Note: 1. Subject to change without notice.

Meridian Architectural Specification



TOP VIEW



FRONT VIEW

Caution:
 Due to manufacturing tolerances there could be some minor differences between the actual spa and the drawing above. If site planning is critical to such tolerances, be sure to measure your actual spa.

- Notes:**
1. Engineering specs may differ slightly from brochure.
 2. For E-Z lifter installation allow 18" clearances on the backside of the spa.
 3. Alternative cabinets may add significant weight. Ask your dealer for exact details.